

Page **1** of **7** –

1

## **Gulf Select Red Synthetic P/S Fluid & Conditioner**

#### SDS Number: GS330

#### PRODUCT AND COMPANY INFORMATION

Product Name:	Gulf Select Red Synthetic P/S Fluid & Conditioner
Revision Date:	12/22/2015
SDS Number:	GS330
Common Name:	Hydrotreated heavy paraffinic power steering fluid
CAS Number:	Blend
Product Code:	GS330
<u>Synonyms:</u>	Power Steering Fluid

#### **Company Identification:**

Supplier: NU-TIER BRANDS, INC. 8282 S. Memorial Drive, Suite 302 Tulsa, OK 74133 www.gulflubricants.net

Under license from Gulf Oil LP

For Product Information:	1-800-566-4853
For Emergencies:	1-800-424-9300 (CHEMTREC)

#### 2 HAZARDS IDENTIFICATION

Signal Word:	None
Hazard Classes/Categories:	None
Hazard Statement(s):	None
Precaution Statement(s):	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read label before use.



Page 2 of 7 -

## **Gulf Select Red Synthetic P/S Fluid & Conditioner**

SDS Number: GS330

#### Other Hazard Statement(s):

-NFPA Ratings: Health = 0 Fire = 1 Reactivity = 0

#### COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

3

Mixture of the substances listed below with nonhazardous additions.

Chemical Name	CAS Number	Percentage
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	60-100

\*Any concentration shown as a range is to protect confidentiality or is due to batch variation.

4 FIRST AID MEASURES	
----------------------	--

#### **Description of First Aid Measures:**

Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin Contact:	Wash with soap and water. Remove contaminated clothing and wash before reuse. Get medical attention if needed.
Eye Contact:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Get medical attention if irritation occurs.
Ingestion:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.



Page **3** of **7** –

6

## **Gulf Select Red Synthetic P/S Fluid & Conditioner**

## SDS Number: GS330

Symptoms and Effects, both acute and delayed:

No further relevent data available.

**Recommended Actions:** 

Treat symptomatically. Call a doctor or poison control center for guidance.

5	FIRE FIGHTING MEASURES	
Recommended F	Fire-Extinguishing Equipment:	Use dry powder, foam, or carbon dioxide fire extinguishers. Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.
Possible Hazards	<u>s During a Fire:</u>	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.
<u>Recommendatio</u>	ins to Firefighters:	Proper protective equipment including breathing apparatus.

#### ACCIDENTAL RELEASE MEASURES

Personal Precautions:	
	Avoid eye contact. Avoid repeated or prolonged skin contact.
	Personal protective equipment must be worn.
	Avoid contact with skin, eyes or clothing.
Emergency Procedures:	
	Contain spilled material, collect in suitable and properly labeled containers.



Page 4 of 7 -

# **Safety Data Sheet**

	Gulf Select Red Synthetic P/S Fluid & Conditioner
SDS Number: GS330	-
Environmental Precautions:	Do not allow product to reach sewage system or
	any water course. Inform respective authorities in case of seepage into water course or sewage system.
<u>Cleanup Procedures:</u>	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
7 HANDLING AND STORAGE	
Handling Precautions:	Wear personal protective equipment. Avoid contact with eyes.
<u>Storage Requirements:</u>	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8

**EXPOSURE CONTROLS / PERSONAL PROTECTION** 

#### Exposure Limits:

-64742-54-7 Distillates (petroleum), hydrotreated heavy parffinic (60-100%):

ACGIH TWA – 5mg/m<sup>3</sup> (oil mist) ACGIH STEL - 10mg/m<sup>3</sup> (oil mist) OSHA TWA – 5mg/m<sup>3</sup> (oil mist)

#### Engineering Controls:

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).



Page **5** of **7** –

## **Gulf Select Red Synthetic P/S Fluid & Conditioner**

#### SDS Number: GS330

#### Personal Protective Equipment:

Wash hands before breaks and at the end of work. Use safety glasses and gloves.

9

#### PHYSICAL AND CHEMICAL PROPERTIES

Color:	Red
Physical State:	Liquid
Odor:	Petroleum
Odor Threshold:	Data not available
pH:	Data not available
Melting Point:	Data not available
Boiling Point:	Data not available
Boiling Range:	Data not available
Flash Point:	>200° C / >392° F (COC Method)
Evaporation Rate:	Data not available
Flammability:	Data not available
Flammability Limits:	Data not available
Vapor Pressure:	Data not available
Vapor Density:	Data not available
Relative Density:	0.84 to 0.865
Solubilities:	Insoluble in water
Partition Coefficient:	Data not available
Auto-Ignition Temperature:	Data not available
Decomposition Temperature:	Data not available
Viscosity:	>25 mm <sup>2</sup> /sec (kinematic at 40° C)

# 10 STABILITY AND REACTIVITY Stability: Stable under normal conditions. Reactivity: Not reactive under normal conditions. Conditions to Avoid: No further relevant information available. Hazardous Reactions: Hazardous Reactions:

No known hazardous reactions.



Page 6 of 7 -

# **Safety Data Sheet**

		Gulf Select Red Synthetic P/S Fluid & Conditioner
SDS Number: GS		
Incompatible Ma	<u>terials:</u>	Strong oxidizers.
Decomposition P	roducts:	Oxides of carbon.
11	TOXICOLOGICAL INFORMAT	ION
<u>Routes of Exposi</u>	<u>ıre:</u>	Inhalation, skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Exposure Effects	<u>:</u>	Repeated skin contact may cause dermatitis or an oil acne.
Measures of Tox	<u>icity:</u>	No test data available.
<u>Carcinogenic/Mu</u>	itagenic Precautions:	Non-carcinogenic and not expected to be mutagentic.

#### 12 ECOLOGICAL INFORMATION

#### **Ecological Precautions:**

Do not allow product to reach ground water, water course or sewage system.

#### **Ecological Effects:**

No specific environmental or aquatic data available.

#### 13 DISPOSAL CONSIDERATIONS

#### Disposal Methods:

Dispose of waste material in accordance with all local, state, and federal requirements.



Page 7 of 7 -

# **Safety Data Sheet**

**Gulf Select Red Synthetic P/S Fluid & Conditioner** 

SDS Number: GS	330		
Disposal Contair	<u>iers:</u>		Use properly approved container for disposal.
Special Precaution	ons:		Do not flush to surface waters or drains.
14	TRANSPORT	INFORMATION	
<u>UN Number:</u> <u>UN Shipping Nar</u> <u>Transport Hazar</u> <u>Packing Group:</u>		Data not available Data not available Data not available Data not available Data not available	
Environmental H	<u>lazards:</u>		Data not available
Bulk Transport G	<u>Guidance:</u>		Data not available
Special Precaution	ons:		Not regulated by DOT.
15	REGULATOR	Y INFORMATION	

This material and all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act.

16	OTHER INFORMATION

#### Last Revision Date: 12/22/2015

The information contained in this Safety Data Sheet (SDS) relates only to the specific material designated. The supplier assumes no legal responsibility of the use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the supplier.